

## CLAIM AMENDMENTS

The following is a complete list of claims. The claims below replace all prior versions of the claims in the application. Please amend claims 7 and 14. Please cancel claims 1 – 6, 13, 15 and 16.

1. – 6. Canceled

7. (Currently Amended) A long wheeled travel case with an extendable wheeled support, comprising:

- (a) a travel case having a base with two edge wheels mounted on an edge between the base and a side of the case, the case having a length that is measured perpendicular to the edge along the base and that is -and having a length of the base to one side of the edge greater than 40 inches, the case having a height that is measured perpendicular to the edge along the side and that is -and a height to the other side of the edge less than half of the length;
- (b) a handle at a top of the travel case opposite the edge wheels which handle extends from the case no more than six inches;
- (c) an extendable support having a length, an attachment end, and a wheeled end, the attachment end attached to the tilt side of the travel case at a pivot location;
- (d) at least one caster wheel mounted on the wheeled end of the support;
- (e) a locking mechanism that locks the extendable support in an extended position angle formed between the travel case and the support; wherein
- (f) the length of the extendable support combined with the pivot location and the extended position angle cause the base of the travel case to be raised from a horizontal position less than 40 45-degrees when the at least one caster wheel and edge wheels carry weight on level ground.

8. (Original) The case of claim 7 wherein the case is hard.
9. (Original) The case of claim 7 wherein the case is soft.
10. (Previously Amended) The case of claim 7 wherein the extendable support has two attached caster wheels.
11. (Previously Amended) The case of claim 7 wherein the at least one caster wheel has a pivot axis that is substantially vertical when the extendable support is extended and the travel case is raised such that the at least one caster wheel carries load on a level surface.
12. (Previously Amended) The case of claim 7 wherein the extendable support is pivotally attached to the travel case such that, when the extendable support is collapsed, the at least one caster wheel is near the wheeled end of the case.
13. Canceled
14. (Currently Amended) A long, wheeled travel case with an extendable wheeled support, comprising:

a travel case having a base with two edge wheels mounted on an edge between the base and a side of the case, the case and having a length that is measured perpendicular to the edge along the base and that is of the base to one side of the edge greater than 40 inches, the case having and a height that is measured perpendicular to the edge along the side and that is to the other side of the edge less than half of the length;

a handle at a top of the travel case opposite the edge wheels which handle extends from the case no more than six inches;

an extendable support having a length, an attachment end, and a wheeled end, the attachment end attached to the tilt side of the travel case at a pivot location;

at least one support wheel mounted on the wheeled end of the support;

a locking mechanism that locks the extendable support in an extended position angle formed between the travel case and the support; wherein

the length of the extendable support combined with the pivot location and the extended position angle cause the base of the travel case to be raised from a horizontal position less than 40 ~~45~~-degrees when the support wheels and edge wheels carry weight on level ground.

15. – 16. Canceled